








IMAGE EVALUATION TEST TARGET (MT-3)



Photographic
Sciences
Corporation

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**



Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1987

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☒ Coloured covers/
Couverture de couleur
- ☒ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distorsion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☒ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
☐	☐	☐	☐	☒	☐
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:


Memorial University of St. John's

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\longrightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:



L'exemplaire filmé fut reproduit grâce à la générosité de:


Memorial University of St. John's

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\longrightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.



Nfld.

S

599

N4H6

Rare

SOILS OF NEWFOUNDLAND.

**THE ORIGIN, DERIVATION & COMPOSITION
OF SOILS,**

CONSIDERED FROM A GEOLOGICAL POINT OF VIEW

WITH PARTICULAR REFERENCE TO

THE SOILS OF NEWFOUNDLAND.

(BY JAMES P. HOWLEY, Esq., F.G.S.).



Printed at the Daily Colonist Office, St. John's, N.S.



NE

The On
ere
ref

P. R. BO

DEAR S
which I ha
two years
read it be
H.I.E.S. 3
carrying o
lately to ha
seem an
especially
railway e
discussion
to our reso
the chief o
to remove
ter of our
greatly dif
composed
I reasoned
from perso
As a proo
I would d
at the end
St. Georg

It was
after I ha
favoured
Wm. W.
Land Co.
mission to
plete con
written ab
such a rel
upon acti
there can
ever settle
soil in the

The en
noble occ
and in ex
foremost
of manki

LEGISLATIVE
NEWFOUNDLAND
LIBRARY

NEWFOUNDLAND SOILS

The Origin, Derivation and Composition of Soils, considered from a Geological point of View, with particular reference to the Soils of Newfoundland

[By JAMES P. HOWLEY, Esq., F.G.S.]

St. John's, June 11th, 1889.

P. R. BOWLES, Esq.,

DEAR SIR.—The paper on the subject of soils, which I handed you the other day, was written two years ago. It was my intention to have read it before the Agricultural Section of the N.I.E.S.; but circumstances prevented the carrying out of that intention. I was requested lately to have it published. The present would seem an opportune time for doing so; now, especially, when we are about to enter upon railway extension northward, and so much discussion has recently taken place relative to our resources, agricultural lands, &c. One of the chief objects of the paper was to endeavour to remove the false impression as to the character of our soil—to show that they could not greatly differ from those of other countries, being composed of the same mineral constituents, &c. I reasoned purely upon geological grounds, and from personal observation all over the island. As a proof of the correctness of my conclusions, I would draw especial attention to the analysis at the end of the paper, of the average soil in the St. George's Bay district.

It was only last autumn, more than a year after I had written the paper, that I was kindly favoured with a copy of this analysis by Mr. Wm. W. Bonny, C.E., &c., of the Telegraph Land Co., who has also recently given me permission to make use of the same. It is a complete confirmation of what I had previously written about the soils of that district, and being such a reliable, independent testimony, founded upon actual ascertained fact (analysis), which there can be no gainsaying, should, I think, forever settle the question of the character of the soil in that section of the country, at least.

Yours sincerely,

JAMES P. HOWLEY.

INTRODUCTION.

The cultivation of the soil is one of the most noble occupations of our race. In every age, and in every country, it has justly occupied the foremost place amongst the civilized industries of mankind. No country without agriculture,

at least where such is possible, can claim to be thoroughly civilized. It marks the line between civilization and barbarism. Prehistoric man was, in most cases, a wild, nomadic hunter, eking out a precarious existence from the product of the chase—at times wallowing in abundance, but just as frequently pinched by want, hunger and starvation. He required immense tracts of territory over which to extend his hunting avocations in order to supply his needs. The ancient Swiss lake-dwellers seem to have been the earliest European people who attained to any marked success in agricultural development. They had undoubtedly arrived at the culture of cereals by a process of selection from wild stocks which entitles them to our greatest respect. The Celtic race, also, early attained to a considerable progress in agriculture and domestic pursuits. When we turn to Asia and America we again find the Chinese and Japanese of the former, the Peruvians and Mexicans, or Toltec and Aztec races, of the latter, all far advanced in this noble science and, consequently, in civilization, while the more barbarous hordes of both hemispheres were still in the hunter state of existence and utter savagery. In fact, agriculture and civilization were so closely allied that the one was the natural outcome of the other. Today it is agriculture which marks the onward march of progress, before which the less stable pursuits of the savage have retreated step by step, and the savage himself disappeared from the face of the earth. What was once the home of the buffalo and wild red man of America, is now converted by this giant industry, into the smiling, golden-earred wheat fields, of the "world's greatest granary."

Here in our own Terra Nova—i.e., of all the civilized countries of the globe, no agriculture been proscribed. It is true we have improved the original red man of the face of the earth long ago; but, unlike our neighbors, we have not occupied his place. Another dusky denizen of the forest—the Miemie hunter of Nova Scotia and Cape Breton, driven out from his ancient home—has come into the inheritance of the Beothic, and still roams over our vast interior

forests and plains in pursuit of the fur-bearing animals of the country. It is a reproach to our civilization, a reproach to the British nation, that this one spot of all her dominions, boastfully termed her oldest colony, is still so far behind in the onward march of progress, and the condition of her people so analogous to that of the hunter state of existence. It is nothing new, it is simply the history of all countries which have neglected or ignored agricultural pursuits, at least where such pursuits are possible. If we believe them possible here, and I, for one, have no doubt on my mind about the matter, we should then make every effort in our power to carry out without delay such measures as would be most likely to conduce towards so desirable an end. But as my main object is to enquire into what are really the chief characteristics of our soils, and what they may be capable of producing, I will proceed at once to the consideration of this important question.

ORIGIN AND COMPOSITION OF SOILS.

The term soil is applied to all those loose materials which cover the surface of the globe, such as sand, gravel, clay, mud, peat, &c. Soils vary exceedingly, according to the preponderance or otherwise of any one of the above materials. In fact, there is a regular gradation from pure sand or clay, exclusively mineral soils, to peat bog, which is almost entirely composed of vegetable matter. A thorough knowledge of their various characters, and the manner of treating them, appears to me essentially necessary to the successful raising of crops. Different soils require entirely different treatment, and there can be no doubt that skilled and scientific cultivation enables the farmer to obtain the best possible results from good soils, and even greatly to enhance the productiveness of those of a comparatively poor nature. But, before going more deeply into this part of the subject, I must ask you to follow me, while I make a few general observations relative to the derivation and composition of soils. The doing so necessarily involves some rather dry geological details, which will, I trust, not be altogether without interest to you.

STRUCTURE OF THE EARTH.

Although the greatest diameter of our globe measured at the equator is 7,926 miles, it is estimated from various well-authenticated sources, that the solid portion, or crust as it is termed, is not more than 50 miles in thickness. Without entering into all the theories upon which this conclusion is based, I shall just mention a few of the more prominent. The presence of active volcanoes and hot springs on various parts of the earth's surface, from which frequent ejections of molten matter and boiling water take place, point beyond doubt to an internal source of heat. The seismic movements, or earthquake throes, which have convulsed the earth from time to time, and are still of not infrequent occurrence—for we have read of many fearful

shocks experienced within the last few years—are another proof. They are caused from expansion by heat of some viscous, gaseous, or fluid matter, contained in the bowels of the earth. When we add to these the well-ascertained facts that the temperature is found to increase rapidly as we penetrate into the earth's surface, so that a point must be reached where the heat would be so great that all known rock or mineral substances must be converted into fluid or semi-fluid matter. The question of the character of the great internal body of the earth can no longer be one of mere speculation. Allowing an average rise of temperature of 1° Far. for every 90 feet vertical depth, this point would be reached at about 50 miles below the surface.

SOLID CRUST.

It will be apparent, then, that the solid crust of the earth is in reality a mere shell, as it were, and in proportion to the size of the globe represents about the thickness of an orange peel to the size of the fruit itself. Such is the well-founded theory of the structure of the globe we inhabit. At present, however, we are more particularly concerned in the character and constituents of the crust only, as it is from this our soils are principally derived and obtain their distinctive characteristics. Nevertheless, some of the richest known soils appertain to purely volcanic regions, as on the sides and slopes of active volcanoes—such as Vesuvius and Etna. These soils may be considered as direct products from the deep-seated internal fires themselves. Their fertility is proverbial, and, notwithstanding the danger attending their cultivation, the Neapolitan and Sicilian peasants will brave all in order to reap the rich harvest of grapes which these vine-clad natural hot-beds so luxuriantly yield. But by far the greater portion of the loose materials covering the earth's surface are derived directly from the solid rock crust upon which they rest. This fundamental pavement or floor, extends alike around the globe—beneath the waters of the great seas and oceans, as well as the dry lands. Broken, shattered, contorted or twisted into a series of great folds and flexures, often abruptly lifted up into huge elevated masses or depressed into profound abysses, it gives rise to all those natural features of towering mountain ranges, rolling ridges, wide-spreading prairies, plains, valleys, ravines, gulches, submarine banks, plateaux, or profound and fathomless ocean depths.

ATMOSPHERIC ACTION.

The interminable action of the atmosphere both chemical and mechanical, in breaking up or wearing down this rock crust, pulverizing and disseminating its particles broadcast over the surface, and depositing the same on all the lower depressions, are the chief agencies through which our earths and soils have been accumulated. At one period of the earth's history immense ice sheets and gigantic glaciers, or

moving
Polar
ed at
pover
in tear
fices
where
often
but in
sand
less po
have co
mation
growth
mosses
the bulk
in these
insignit
pulveriz
tory of
condition
clays, c
rocks fr
ing peri
sive

It fol
almost
constit
stances
are in
explicit
tion, m
of the r
but thi
stances
oxygen
metallic
metals
alumin
various
rials c
common
ordinar
silex o
foldspan
alumin
varietie
mesa
lime, w
and cal
limestone
is gypso
combin
iron, c
with o
minera
and con

The
almost
sandsto
igneous
combin
stance,

few years—
 posed from ex-
 gaseous, or
 s of the earth,
 pertained facts
 erence rapidly
 surface, so that
 heat would
 mineral sub-
 uid or semi-
 character of
 earth can no
 . Allowing
 1° Far. for
 int would be
 the surface.

solid crust of
 as it were,
 globe repre-
 ange peel to
 is the well-
 the globe we
 re are in re-
 ter and con-
 from this our
 obtain their
 cess, some
 n to purely
 d slopes of
 s and Etna,
 ect products
 themselves,
 withstand-
 ivation, the
 ill brave all
 raps which
 so luxuri-
 ter portion
 earth's sur-
 solid rock
 imdamental
 around the
 ent seas and
 . Broken,
 a series of
 mply lifted
 pressed into
 all those na-
 in ranges,
 ies, plains,
 ne banks,
 less ocean

ne atmos-
 in break-
 st, pulver-
 broadest
 ame on all
 e agencies
 e been ac-
 l's history
 laciers, or

moving masses of ice, such as still exist in the Polar regions of the globe, seem to have extended at least over all the Temperate Zones. The powerful influence of these cyclopean dyo-shares in tearing away and grinding down the rock surfaces over which they passed, is attested everywhere today, not only by the smooth, worn and often polished surfaces of the rocks themselves, but in the immense accumulations of gravel, sand and boulders, met with on all sides. Other less potent agencies, even plants and animals, have contributed in no small degree to the formation of those surface deposits, notably the growth and decomposition of plants, such as mosses, grasses, shrubs, &c., which constitute the bulk of the peat bogs so prevalent, especially in these northern regions; and even the small insignificant earthworm lends his aid towards pulverizing the earth. In fact, the whole history of the globe has been one succession of demolition and reconstruction. What were the clays, earths and sands of one age, became the rocks from whence clays and earths of succeeding periods were derived.

•SIMILARITY OF MINERAL CONSTITUENTS.

It follows, then, that notwithstanding the almost infinite variety of rocks which go to constitute the crust of the earth, the substances of which they are chiefly composed are in reality similar. But to be more explicit, in regard to their actual composition, mineralogists have ascertained that most of the rocks of the globe are really composed of but thirteen of the sixty-six elementary substances known to science. These are the gases, oxygen, hydrogen, nitrogen, chlorine, the non-metallic elements, carbon, sulphur, silicon; the metals calcium, sodium, potassium, magnesium, aluminium and iron. The combination of these various elements really reduces the actual materials constituting the rocks, as they are most commonly known, at least, to some half-dozen ordinary substances. Chief amongst these are silica or quartz, which is almost pure silica; felspar, which is a combination of silica, alumina, potash, lime, soda and water; some varieties contain a little iron manganese, magnesia and acids. Carbonate and sulphate of lime, which are combinations of carbonic acid and calcium or lime, that is, simply ordinary limestone, and sulphuric acid and calcium which is gypsum or plaster. Steatite or soapstone is a combination of silica, magnesia, protoxyd of iron, carbonic acid, water, &c. These, then, with occasional admixtures of other and rarer minerals, are the chief constituents of all rocks, and consequently of all soils derived from them.

ORDINARY ROCK.

The most common rocks, and those found in almost all countries, are granites, or granitoids, sandstones, slates, limestones, and trap or igneous rocks. These are all simply different combinations of the foregoing minerals; for instance, true granite is a crystalline rock com-

posed of quartz, felspar and mica. The absence of any one of these ingredients, or its substitution by another mineral, simply results in another variety of granite. A sandstone, again, may be composed of the self-same minerals, but in a finer state of aggregation: quartz or felspar being almost always present in both. Slates are only the same ingredients in a still more minute state of combination, where the particles have been ground into an almost impalpable powder. Just in proportion, then, as one of these minerals may preponderate over the others, do the rocks vary in character. An excess of silica makes a sandstone hard and gritty; a slate silicious or flinty. An excess of alumina or clay, renders both softer. The presence of lime in any rocks has a still more softening influence upon them, and where an excess of lime, or rather carbonate of lime occurs, we have the well known limestone. Most limestones contain impurities, such as silica, alumina, magnesia, &c., the finest forms being white marble and calc spar.

OTHER CHARACTERISTICS OF ROCKS.

Of course all these varieties of rock vary exceedingly in hardness, color, and degrees of consistency, while the presence of some foreign mineral not unusually gives a distinctive character to each; for instance, sandstones are said to be quartzose or silicious, argillaceous or clayey, calcareous containing lime, micaceous containing fine scales of mica, fine-grained, gritty, conglomerate, &c.; also, porous and friable, *i.e.*, capable of absorbing much moisture and easily crumbled. Slates, again, are silicious, or cherty, arenaceous or sandy, calcareous, shaly, when they split into thin leaf-like pieces, micaceous, carbonaceous, phibaginous, talcose, aluminous, bituminous, &c. But I fear many of you will begin to weary of all this geological dissertation on rocks, and to ask yourselves what has all this to do with soils and their cultivation. Well, I shall endeavour to explain the intimate connection of the two subjects. The aluminous minerals mentioned as constituting so large a portion of the earth's crust, give to the soils their clay proper, when this clay is unmixd with the other ingredients, especially with sand, it is in the form known as plastic clay, or potter's clay—a tough insuperable material, unfit for the support of vegetation, from the fact that the roots of plants are unable to penetrate it. Here is a dried specimen of pure clay only fit for coarse pottery or earthenware.* It is from the Exploit's Valley. A similar clay is frequently found under our peat bogs in this neighborhood, and I believe the fact of its being so dense as to prevent the surface waters penetrating downward, has been the chief cause of the collection of those swampy accumulations of vegetable matter. The silica in the rocks gives to the soils the sand which is

*A specimen of purely aluminous clay such as frequently occurs in this country, was to be exhibited and explained here.

so necessary an ingredient. A due admixture of this sand with the clay renders the latter sufficiently porous to admit moisture, and absorb manures. Thus, while sand renders the soil light and porous, clay gives it body and consistency. But just as too much clay makes a poor soil, too much sand, by its non retentive character, is equally unproductive, and where clay is altogether absent the sand is so light and dry, as to be utterly useless for agricultural purposes in its natural state. Besides, the above properties of those two chief constituents of soils, both furnish to plant life, and even to animal life; through the plants, certain elements without which they could not exist. Silica in a soluble form, hydrous silicate, enters into the stalks and stems of plants and bones of animals. It is the material which gives rigidity to all trees, grasses, etc. The soda and magnesia, contained in the clays are all necessary to plant life.

VALUE OF LIME.

Lime is an exceedingly important, I might say absolutely necessary ingredient in all soils, so much so, that no soils destitute of it can possibly produce good crops, and their fertility or otherwise greatly depends upon their containing the necessary proportion of this valuable commodity. Its presence exerts, perhaps, more marked influence on the growth of vegetables, than any other constituent of the soil. This influence is manifold. It blends the qualities of clay and sand, occupying, as it were, a place between the two. Its extraordinary affinity for carbonic acid, which it absorbs with avidity from the atmosphere, and from manures, is one of its chief recommendations. This acid, which is a most important factor in the nourishment of plant life, is held in reserve in the soil by the presence of lime. In its caustic state (that is when burnt so as to expel the moisture naturally contained in the rock), it becomes most efficacious as a manure, not so much from its inherent qualities, as from its influence on other manures. In this state it is a powerful promoter of putrefaction, or decomposition of animal and vegetable matter. It fixes the carbonic acid in the soil, generated by the fermentation of the manures, which would otherwise escape into the atmosphere, and in great part be lost. Together with the moisture which it so eagerly absorbs, it readily imparts those nourishing properties to plants. The latter having separated the carbon contained in the acid and appropriated the same, give back the oxygen again to the air.

PLANT RESPIRATION.

In this manner the leaves and roots of plants, by absorbing and decomposing carbonic acid gas, perform in the economy of vegetable life, just the same functions as the lungs do in the animal economy, while an all-wise Creator has so ordained that just those substan-

ces in the atmosphere, most conducive to vegetation, are those most detrimental to animals. If it were not that the vegetable world so eagerly appropriated these deleterious substances, the air would, in a short time, become so vitiated, as to render animal existence an impossibility. Besides the above-mentioned absolutely necessary ingredients, there are often present in soils small quantities of phosphoric and sulphuric acids, nitrates, vegetable matters, etc., all of which greatly enhance their productiveness, and when not naturally present, some at least, especially the phosphates, have to be supplied by means of manures. All manures contain these in greater or lesser degree. Fish manures, guano, bone dust being especially rich in phosphoric acid, no grain crops or leguminous plants, such as peas, beans or vetches can come to perfection without this latter ingredient, and soils destitute of it, or not supplied artificially, are only capable of supporting but scanty vegetation. In fact, silica in its soluble state, lime, carbonic acid, and phosphoric acid, are the principle food of the vegetable kingdom, and just in proportion to the presence or absence of the necessary quantities of these substances will the crops mature or otherwise. The presence of considerable quantities of decomposed vegetable matter in soils necessarily implies a certain amount of carbonic and phosphoric acid. Most peats for instance, contain these substances, besides small quantities of lime, magnesia, potash, silica, oxide of iron, alumina and water. Hence the application of peat to soils of a dry, sandy nature, is very beneficial. I am perfectly aware that all our farmers recognise this, and are in the habit of composting large quantities of peat with fish offal for manure.

APPLICATION OF PEAT.

But, if I may offer a suggestion, I think peat might be applied to much greater advantage than it is at present. I don't think I am far astray when I say most of the peat now used is simply spread out on our meadow lands, where it dries up, or is broken into fine powder by bush-harrowing, and afterwards, what has not been blown away is raked off. No doubt a certain amount of it becomes incorporated with the soil; but in my humble opinion where this peat carted out to the fallow land, allowed to dry and become pulverized, and then ploughed in with the more silicious substances, so as to give body and consistency to the latter, much benefit would result; even very dry sandy soils could thus be rendered fairly good and retentive of moisture. While by reversing the process, peaty soils, when first properly drained, can by the application and incorporation of considerable quantities of sand, gravel and lime be converted into probably the very best hay-growing lands. These, and such like experiments have been carried out in England, Scotland and the United States, with marked success.

Many ex-
their nat-
a high s-
foregoing
made su-
duced th-
rived di-
That, co-
of the va-
That wh-
mineral
to such a
der them-
ence of
be poor,
substance
disintegr-
deep. A
enriched
presence
tivity wil-
ascertain-
it would
analysis
thereby a-
or absent
deficiency
where th-
highest
nobler o-
tife farm-
such a m-
known.
scientific
actual la-
the retur-
every dis-
grees of
just in p-
are deriv-
stood in
cultivation
so rich as
but the g-
do requir-
prevent
that whe-
by hard-
such as g-
what is
soils are
next succe-
chiefly c-
slates, sa-
ates or p-
better ch-
destitute
least, and
of that i-
silurian lo-
being con-
with a co-
strata, an-
is invari-
quality of

ductive to vegetable and animal life. The world so eagerly estimates, the air so vitiated, as to be unfit for habitation. It is necessary in soils small sulphuric acids, and all of which are, and when lost, especially by means of these in greater quantities, guano, bone phosphoric acid, no such as peats, vegetation without the aid of it, is only capable of it.

In fact, siliceous, carbonic acid, and the food of the proportion to the necessary quantities of mature or immature matter in soils out of carbonic peats for instance, besides small potash, silica, &c. Hence the very sandy nature of the soil is perfectly aware of it, and are in quantities of peat

of it. In my suggestion, I have tried to much to the present, I say most of it is broken out on our soil, or is broken out, and after-ward is raked off it becomes in my humble opinion to the fallow, and pulverized, more siliceous and consistency of result; even rendered fairer. While by the first cultivation and incursions of sand, probably the soils. These have been and the success,

Many extensive tracts of land utterly useless in their natural state have been thus brought into a high state of productiveness. From all the foregoing observations which I hope I have made sufficiently explicit, it may readily be deduced that primarily the bulk of all soils is derived directly from the rock crust of the earth. That, consequently, it partakes of the characters of the various rocks from which it is so derived. That where these rocks contain but few of the mineral substances requisite, or are otherwise in such a highly crystalline condition as to render them less liable to crumble under the influence of the atmosphere, the resulting soils will be poor, and where on the contrary, many such substances are present in a form more easily disintegrated, the soils are apt to be rich and deep. Where again, these soils are still further enriched by vegetable decomposition, and the presence of phosphates, etc., their natural fertility will reach its maximum. With a view to ascertaining the exact character of any soil it would be well could the cultivator institute analysis of each variety found upon his farm, thereby ascertaining exactly just what is present or absent, and in the latter case supplying the deficiency. Of course this is done in countries where the science of agriculture is brought to its highest development, and perhaps there is no nobler occupation in the world than skilled scientific farming, whereby the soils are studied in such a manner that their exact capabilities are known. On the other hand unskilled and unscientific farming frequently entail double the actual labor required with a mere modicum of the returns. In every country, and in almost every district of country, soils of different degrees of richness will be found. They will vary just in proportion as the rocks from which they are derived vary. All this must be well understood in order to obtain good results from their cultivation. In some cases they are naturally so rich as to require little or no manure at all, but the great majority of soils, all the world over, do require some fertilizer in addition, if only to prevent exhaustion. It only remains to state that when a district of country is occupied by hard, siliceous and crystalline rocks, such as granitic regions, or those overlaid by what is termed the Laurentine formation, the soils are usually thin, stony and poor. The next succeeding formation Huronian being also chiefly composed of very intractable siliceous slates, sand-stones or quartzites, and conglomerates or pudding-stones, yields but a slightly better class of soils. Both these are equally destitute of limestone in this country at least, and consequently the soils are destitute of that important ingredient. The Cambro-silurian formation, next in order of succession, being composed of a greater variety of rocks, with a considerable amount of slaty and shaly strata, and several large bands of limestone is invariably found to support a much better quality of soil. Next in order of succession, is

the great Silurian formation, which is divided into lower, middle and upper. The rocks of this great geological epoch are of infinite variety. Some portions of the formation are particularly rich in limestones, shales, slates, and fine-grained sandstone, and, of course, yield a superior class of soils, while another portion, owing to the preponderance of magnesian minerals, which, when in excess, are deleterious to vegetation, do not afford such. As we ascend higher in the geological scale, that is, come upon newer and less altered rock formations, we invariably meet with deeper and richer soils.

THE LOWER CARBONIFEROUS.

Which, in this country, is the most recent rock formation known to exist is composed of substances eminently calculated to yield a superior quality of soil. These are limestones, gypsums, soft sandstones, shales, marls, bituminous and carbonaceous slates, coaly matter and a variety of other substances, the combination of which in the soil cannot fail to produce fertility, and such is invariably the case wherever such formation occurs, unless indeed it should be so greatly disturbed and the rocks so much altered by igneous intrusions as to entirely change their character. I think, however, I am pretty safe in stating that the Silurian and carboniferous formations, when not so greatly altered, yield on the whole about the strongest and best soils. In Great Britain, Canada, and the United States at all events, especially in the two latter countries, the Silurian and carboniferous are proverbial in this respect. Prince Edward's Island is underlaid by a still higher and more recent formation, the triassic, hence its well-known character for fertility, yet I doubt whether its soils can be superior to those of the lower carboniferous, as they are more sandy, and limestone and gypsum are absent from the rocks. It must appear, then, that there is an intimate connection between geology and agriculture. The geological structure of a country or district being known, and the mineral character ascertained, we can almost to a certainty determine the quality of its soils, and their adaptability to agricultural pursuits. Let us now apply all these facts to our own island with a view to ascertaining what should be the character of its soils.

GEOLOGICALLY.

Then, it includes all the formations from the Laurentian the oldest, to carboniferous, viz.: Laurentian, Huronian, Cambro-silurian, lower, middle and upper Silurian, Devonian and Carboniferous. A glance at the geological map upon which each formation is distinguished by a different colour will give an insight into the probable character of the soils appertaining to the various districts of country.* For instance, the pink shade on this map represents the Laurentian

* Here the map would be referred to and the various formations, indicated by different colours, pointed out.

formation. It will be seen to occupy a very large area, including all the Southern Shore of the Island, from Fortune Bay to Cape Ray, to extend thence far into the interior north-easterly, and from Cape Ray through the whole length of the Island, almost to its northern extreme. This is termed the long range of mountains, and is in reality the back-bone, as it were, of the whole of the Island. Owing to the crystalline character of these Laurentian rocks, and their consequent durability, or power of resisting atmospheric influences they form today nearly all the higher elevations of the island, and there is seldom any soil worth cultivating over their surfaces, except, indeed, where alluvial deposits, washed together from the ruins of many rocks may occur. Nevertheless, much of this country, where not too elevated, is fit for grazing, especially for sheep, as many considerable tracts sustain nutritious wild grasses. Generally speaking, however, it may be considered as unfit for agricultural purposes. The Huronian formation, which is colored pale blue, will be seen to occupy nearly the entire Peninsula of Avalon, and the country surrounding Conception, Placentia, Trinity, Fortune and Bonavista Bays. The character of the soils here is several degrees better than those of the Laurentian areas; but they are not by any means to be classed as really good soils. They are usually thin and rocky, underlain by coarse gravel, and destitute, if not altogether, at least in great part, of the requisite amount of lime. Now, as this is the formation underlying the whole country round about St. John's and the nearer settlements; and moreover, as the soil resulting from its disintegration, is that which, unfortunately, up to the present time, has engaged the attention and energies of all our best agriculturists, I will dwell more at length upon its actual composition. The rocks of this formation, samples of which I have here by me are sufficient in themselves to give a fair idea of what the soil must be like. They consist of very hard siliceous slates, at times approaching flint, hard crystalline, sandstones or grit-rock, the well-known Signal-hill sandstone and the coarse conglomerates, composed principally of quartz, jasper, and other exceedingly hard pebbles. There are no soft rocks in the formation, no shales, no limestone bands, very few calcareous veins even, and altogether no rock or rocks likely to yield any of those more fertile descriptions of soils. I have said it is unfortunate that the only systematic attempts at farming by persons who understand the business, should have been confined to such districts as these, because their productive capabilities are persistently put forward as a criterion of those of all other parts of the island. Yet, on the other hand, seeing what industry, perseverance and skill can produce from such an unpromising source, I believed in the end, when the better classes of soils become known

and availed of, the results of this experience will not be without value to the agricultural interests of the country. Poor as the soils are here, I believe they are capable of being greatly improved by studying them a little closer. I think were a few analyses instituted, they would tend much to enlighten us as to the best mode of treatment, with the view of obtaining the best possible results from them.

THE ALMOST TOTAL ABSENCE OF LIME

seems to indicate that the application of this material in considerable quantity, to the extent of a hundred bushels to the acre, that is, incorporated with the soils, would have a most beneficial effect. Peat also applied in the manner I have before indicated, or sand and gravel to the more peaty portions, would undoubtedly be attended with good results. In fact, what Nature has failed to do in combining these various materials, art must effect, and there are few farms hereabout, upon which sand, gravel and peat do not occur in close proximity to each other. I presume all here present have heard of the superior quality and fertility of the islands of Conception Bay, the shore near Kelligrews, the Salmonier Valley, Branch Valley, in St. Mary's Bay, St. Brigid's and other places in Placentia Bay, South Shore of Trinity Bay towards its head, portion of Randaou Island and Smith's Sound on the west side of that bay, and Goose Bay and Clode Sound, in Bonavista Bay. This is simply from the fact that the above localities are underlain by a newer less crystalline formation, the Cambro Silurian, colored dark blue. The rocks consist of sandstones, slates, shales and great beds of limestone, they are all of a softer nature than the Huronian. Slates and shales preponderate, but I take it that the presence of the limestones have most to do with their fertility. At St. Brigid's, in Placentia Bay, a red earthy limestone occupies the country, the soil overlaying it being of the same colour is exceedingly rich. As a consequence the people are very well to do, keep a large number of cattle and sheep, and have no difficulty in raising sufficient food for their maintenance. This applies almost equally to every locality where settlement has taken place on this same rock formation. As we proceed north and west, we lose entirely the other Huronian and Cambrian rocks, they do not exist all north of Bonavista, or west of Fortune Bays.

THE VALLEYS OF THE GANDER

and Exploits Rivers of which you have all heard, but few, I presume, have seen, are represented as containing large areas of fine land. Need you be surprised at this when I inform you that both valleys are underlain by the great Silurian formation, coloured yellow on the map, the rocks of which consists for the most part of slates, sandstones, limestones, magnesian rocks, carbonaceous and phibibignous shales, and a host of others too numerous to mention, being all of more recent date, than any of those in this neighborhood, they are less crystalline, yield much more rapidly to atmospheric influence, the great rivers have been for ages carrying down the finer particles and depositing them along their valleys. A dense forest, which covers the entire country,

It is the same series of formations which underlies the St. Lawrence Valley from Quebec westward to St. Georgian Bay. The soils of which district are probably the best in Eastern Canada.

has added
posed we
three have
shed these
It is known
valley of
the river
by a green
still visible
still standing
posed wood
All of which
A dense
lock, and
adding to
take into c
er tracts o
and situat
from the b
uirs of the
undoubted
ly a questio
ment, whic
splendid re
the Almag
those mag
the wealth
foundland
day. And
boniferous

ST. GEORGE

Here we
in the isla
pare favour
of Canada
that I will
these latter
think they
Furthermore
lar in clim
need be no
vinces to in
capable of
believe New
but to rem
soils here a
limestones,
shales, coal
decomposed
the concen
soils. Their
their origin
in the valle
shorts of St.
of their sup
turally so f
seen piles o
because, as
the potato
I saw uplan
20 years y
ing a shovel
ever having
at all. The
spots; but
to judge, m
t ok of the
be richer th
because it is
the underly
variety of f
the ground
ing the soil
other coun
the ruins o
where thea
dents, the s
also poor, s

experience will
cultural interests
ils are here, I
ing greatly in-
tle closer, I
-stituted, they
en us as to
ity, with the
possible re-

OF CLIMATE

the application
able quantity,
is to the here,
ould have a
plied in the
r sand and gra-
und undoubt-
sults. In fact,
combining these
and there are
h sand, gravel
ximity to each
have heard of
of the islands of
Kelligrews, the
in St. Mary's
ies in Placentia
ay towards us
and Smith's
ay, and Goose
in bay. This is
ve localities are
ine formation,
ark time. The
ates, shales and
all of a scatter
ates and shales
the presence of
ith their fertil-
ay, a red earthy
the soil over-
is exceedingly
e are very well
ttle and sheep
ufficient food
pples almost
ere settlement
ock formation.
we lose entirely
n rocks, they do
sta, or west of

has added and is continuously adding its decom-
posed wood, leaves, etc., to the surface. Great
trees have from time to time completely dem-
olished these forests, only to be replaced by others.
It is known that about 184 years since the entire
valley of the Exploits for over 100 miles up
the river on either side, was entirely swept
by a great conflagration, vestiges of which are
still visible in the numerous charred pine trunks
still standing, and the piles of partially decom-
posed wood strewn everywhere over the surface.
All of which tend materially to enrich the soil.
A dense undergrowth of ferns, ground hem-
lock, and other like shrubs, are also constantly
adding to the soils in these regions. When we
take into consideration the advantages these lat-
ter tracts of country possess in point of climate,
and situation, being so far inland and removed
from the baneful effects of the fogs and cold sea
airs of the outer coast-line, together with their
undoubted superiority of soil, there can be hard-
ly a question of the future agricultural develop-
ment, which must some day take place in these
splendid regions. Had it only been the will of
the Almighty to reverse this island, and place
those magnificent valleys within easy reach of
the wealth and intelligence of St. John's, New-
foundland would have a different story to tell to-
day. And now for a few words upon the car-
boniferous areas of

ST. GEORGE'S BAY AND THE HUMBER RIVER.

Here we have decidedly the richest soils
in the island. Soils which can certainly com-
pare favourably with any in the eastern provinces
of Canada and the New England States, beyond
that I will not venture, because I have only seen
these latter to form a comparison with, and I
think they are quite sufficient for the purpose.
Furthermore being so near us and so nearly simi-
lar in climatic and other ways, I think there
need be no necessity of going beyond these pro-
vinces to institute comparisons. What they are
capable of in an agricultural point of view I fully
believe Newfoundland is in proportion to its size,
able to return to the carboniferous areas. The
soils here are the result of the disintegration of
limestones, gypsum, sandstones, marls, clays,
shales, coaly matter, combined with shell beds,
decomposed grasses, weeds, ferns, wood and all
the concomitants of the very best qualities of
soils. There is no need to dilate further upon
their origin, suffice it to say that when tested, as
in the valleys of the Codroy rivers, and along the
shores of St. George's Bay, they give every evidence
of their superiority. In some places they are nat-
urally so fertile as to need no manure. I have
seen piles of stable manure thrown into the rivers
because, as I was informed, were it applied to
the potato crop, the latter would all run to stalk,
I saw uplands under hay, which had been over
20 years yielding good crops, without ever receiv-
ing a shovel full of manure, and, indeed, without
ever having been properly cleared or cultivated
at all. These may have been exceptionally rich
spots; but so far as my observation enabled me
to judge, many square miles of country here part
ok of the same character. I believe the land to be
richer than that of Prince Edwards Island,
because it is less sandy and from the character of
the underlying rocks it ought to contain a greater
variety of fertilizing ingredients. Such, then, is
the ground upon which I base my theory respect-
ing the soils of this country. Like those of all
other countries they are principally made up of
the ruins of the underlying rock formations;
where these latter are poor in fertilizing ingre-
dients, the soils, as a necessary consequence, are
also poor, and vice versa. Hitherto our principal

attempts at agriculture have been confined to the
poorer districts, and it is a remarkable fact that
where the worst soils exist there also the very
worst climate prevails. Both soil and climate
seem to form part of each other to such a degree
that undoubtedly the best climate in the island
will be found in those districts containing the
best soils. This has been my experience after
twenty-one years of exploration in all parts of
the island. That the climate varies very much
over the country is not to be wondered at, when
we consider its situation and great extent. The
southern and eastern seaboard are only too fre-
quently enveloped in dense fogs, rendering the
atmosphere cold, moist and ungenial to a great
degree. But the northern and western sides, and
the great interior, are comparatively free from
their influence in summer as, perhaps, any part
of the Maritime Provinces. In fact, these latter
districts might well be considered as an entirely
different country altogether.

And, now, comes the question as to what crops
our soils are best adapted to, and what particular
direction agriculture in this country should take.

It has been frequently asserted that grain crops,
especially wheat, barley and oats, cannot be suc-
cessfully raised in the country. It does appear
to me very strange, that while there is really no
negative evidence beyond mere supposition for
this assertion, there is, nevertheless, abundant
positive evidence to the contrary. As a matter
of fact, all these crops are raised every year in
some part or other of the country.

AS TO WHEAT GROWING.

In this first place, has any systematic
attempt ever been made to obtain the most suit-
able grain, or to acclimatize it; and, secondly,
to grow it on those soils more particularly adapt-
ed to this cereal? I think not. I have seen wheat
grown and ripened in the Codroy valley, in St.
George's Bay, and last summer at the mouth of
the Exploits river. The grain was fine, large,
and pronounced by those competent to judge, of
excellent quality. A Canadian gentleman, last
year, expressed his surprise at the quality of
wheat raised at the latter place. While the peo-
ple of Codroy, who had experimented for several
years, assured me they had no doubt whatever of
being able to raise a sufficient quantity to supply
themselves with flour, had they only the means
to grind it. Yet none of this wheat was, I be-
lieve, raised from seed specially selected to suit
the climate, and certainly was not grown on
exactly those soils I would be inclined to select
for the experiment. It must not, however, be
understood that I am at all an advocate for wheat
growing in Newfoundland, beyond, indeed, a
sufficiency for local consumption in a few favored
districts. I believe that owing to the immense
areas in Canada and the Western States devoted
to this branch of agriculture, and producing such
an excess of grain over and above the demand,
that it would be folly for us, even under the most
favorable circumstances, to attempt competing
with such countries in the grain markets of the
world. I believe our lands can be turned to much
more profitable account, and so far as our own
supply of flour is concerned, we could not possi-
bly produce it at a cheaper rate than we now im-
port it from America. Oats, barley, flax, hemp,
hay of all kinds, peas, vetches, and all ordinary
root crops, can be raised in any quantity. But
why need I inform you of this; you all know it
as well as I.

It is in the direction of

SHEEP AND CATTLE RAISING

I believe our future agricultural development
should tend. We must convert the produce of

GANDER

have all heard,
e represented in
Need you be
you that both
sibirian forma-
ion, the rocks of
of slates, sand-
stones, carbonace-
ous, a host of others
ing ad of others
this neighbor-
eld much more
the great rivers
n the finer par-
ing their valleys,
entire country,

ions which no-
from Quebec
e soils of which
Eastern Canada,

our soils into beef, mutton, wool and horseshesh. These would all find markets amongst the ever increasing populations of Europe. While we are certainly situated geographically to reap all the advantages of a short sea voyage, which should place us first in the market. All this, however, is an old, almost threadbare, theme, which has been frequently dealt with by far abler pens than mine. That there is no extravagant stretch of imagination in the matter, I am convinced from actual personal observations. This country is peculiarly a grass growing one. Wild grasses (for there are several varieties), of sweet nutritious character, spring up spontaneously wherever the woods have been burnt or otherwise removed, and in the neighborhood of St. John's this fact is availed of every year by persons having cattle who turn them out to graze over our barrens. The condition of these cattle in the fall is ample testimony as to the nature of the food. In my humble opinion, by far the greater portion of the poor, thin soils on the Peninsula of Avalon, would be best converted to grazing purposes. There is seldom more than a few inches of the very surface really capable of producing crops, and instead of disturbing this, or worse still, hurrying it beneath the poor, hungry, gravelly subsoil, as is most frequently done in cultivating it, I believe, were the wood first removed, leaving the stumps to decay, and all the rubbish burnt, by simply then scattering hay seed over the freshly burned surface, we would soon have extensive grazing ground, which would be enhanced in productiveness every year by the droppings of the cattle. Were the Peninsula of Avalon, in particular, treated in this way, and the dog nuisance got rid of, I see no reason why thousands of sheep might not be raised here instead of the few hundreds now kept. Our wild grasses are infinitely more nutritious and keep green longer than in Canada and the New England States, owing to the moisture of the climate and absence of those parching heats in summer. Everyone knows that we can raise better hay. It appears to me, also, that this same coldness of climate should greatly enhance the quality of the sheep's wool grown in the country. In the direction, then, of sheep and cattle raising, I believe, lies our future hope in agricultural development. Raising grain or vegetables, beyond a sufficiency for home consumption, would be preposterous, as all our near neighbors supply their own wants in this respect, and are able to monopolize the markets. No doubt manufactures might be instituted that would turn some of the produce to account.

FLAX CULTURE.

If we can grow flax to advantage, I don't see why, at least the coarser kinds of linen, may not be manufactured; and in a maritime country like this, where the fisheries will always occupy the attention of a large portion of the population, there should ever be a demand for canvas, cordage, hemp, etc., sufficient to create a home consumption of these articles which should render the production of the raw material and the manufacture profitable; for the same reason the fisheries will ever create a demand for farm produce, all of which the country is quite capable of supplying, but which, at present, drains an immense amount of capital from it each year. When we come to consider the whole matter properly, how really few countries are there where different sections of a population would find a home market, superior to any foreign market, for their

produce. Let us suppose we have 100,000 fishermen, or persons entirely dependent on the fisheries, and 100,000 agriculturists, the former could well absorb all the surplus produce of the latter, while the latter would furnish the very best market for at least 100,000 qls of fish, annually, the produce of the former. If we cannot become agriculturists ourselves, let us offer every facility to outsiders who are such, to come here and engage in that business. If we admit that the country is capable of raising all the farm produce required, and I think very few doubt that now, why should it not reap the benefit of the large annual outlay for farm produce which now goes to enrich our neighbors. Were the facilities for developing our lands and then reaching our markets equalized with those they now enjoy, I have reason to think many Prince Edward Islanders, Cape Bretoners and Nova Scotians, would avail of them. And for my own part I would prefer to see an immigration of farmers from these Provinces than from the Old Countries. I believe they would be better adapted to cope with the difficulties of clearing and cultivating our lands, coming, as they would, from an almost similar climate and character of country.

Since writing the above paper, I was quite unexpectedly favoured with the copy of an analysis of the average soil of St. George's Bay district, made by a thoroughly competent and reliable person, who was sent out by the Newfoundland Land Company to examine and report upon the nature of the soil, &c.

It is a very great satisfaction to me to learn by this analysis, that what I had reasoned out upon purely geological grounds, should so soon, and so thoroughly, be borne out, from such a reliable and entirely independent source. Here is the copy in question:—

[Copy].

Approximate Analysis of the average Soils between Fisher's River, Crabb's River, from one to six miles inland from the Sea-board,

Moisture.....	214.66
Organic matter containing nitrogen equal to 23 ammonia.....	111.60
SALINE MATTER.	
Phosphate.....	3.80
Carbonate of Lime.....	15.60
Carbonate of Magnesia.....	51.20
Alkaline Salts.....	14.46
Oxide of iron.....	30.87
	115.93
SILICIOUS MATTER.	
Sand and Silica.....	45.02
Alumina.....	72.85
	537.88
	100,000

The above soils are very rich in organic matter and contain the full amount of the saline fertilizing matters found in all soils of good bearing quality. On such land, properly cleared and ploughed, root crops in small patches round the fishermen's habitations, show the startling profusion with which they are raised, viz.: Potatoes average 220 bushels per acre; turnips, beets and other root crops, 285 to 300 bushels per acre. Tomatoes ripen in the open air, &c., &c.

ave 100 000 fisher-
 dent on the fish-
 the former could
 uce of the latter,
 he very best mar-
 sh, annually, the
 a cannot become
 offer every facility
 come here and en-
 admit that the
 the farm produce
 doubt that now,
 nefit of the large
 a which now goes
 e the facilities for
 reaching our mar-
 now enjoy, I have
 Edward Islanders,
 tians, would avail
 I would prefer to
 s from these Pro-
 ntries. I believe
 to cope with the
 vating our lands,
 an almost similar
 ry.

r, I was quite un-
 opy of an analysis
 ge's Bay district,
 tent and reliable
 the Newfoundland
 d report upon the

to me to learn by
 reasoned out upon
 ould so soon, and so
 m such a reliable
 arce. Here is the

of the average
 River, Crabb's
 x miles inland

.....	214.60
Progen equal	
.....	111.60
ER,	
.....	3.80
.....	15.60
.....	51.20
.....	14.16
.....	30.87
	115.33
TER,	
.....	485.92
.....	72.85
	537.88
	100,000

h in organic matter;
 of the saline ferti-
 ils of GOOD bearing
 ropriately cleared and
 patches round the
 the startling pro-
 raised, viz.: Pota-
 acre; turnips, beets
 00 bushels per acre,
 r, &c, &c.

